

Office Check List ó Anesthesia and Sedation for Dentistry

Tx date:	Start:	Tx time:
Dentist office:		Phone #:
		Planned Tx:
Central Source of O2? Y	N	Wheelchair Available Y N
		Contact Person:
DOB:		
Pt Mailing Address:		<u> </u>
Phone # home:		
work: cell:		
CCII		
Checklist: Medical Histo	•	
Anesthesia Co		
Financial Agre		
Preop/Postop	•	. •
Transportation Dr. Elmasri no		
		
Information se		
(IIICIUUII)	g Checkl	18()
Any special instructions /	notes:	
7 1		

INFORMED CONSENT AND RECORDS RELEASE FOR ANESTHESIA PEDIATRIC/TEEN

The following is provided to inform patients of the choices and risks involved with having treatment under anesthesia. This information is not presented to make patients apprehensive but to enable them to be better informed concerning their treatment. The choices for anesthesia are: local anesthesia alone, local with intravenous sedation, or general anesthesia. These are administered depending upon each individual patient's unique requirements. The side effect seen most frequently of any intravenous infusion is phlebitis which occurs only 2-4 percent of the time. Phlebitis is a raised, tender, hardened, inflammatory response at the site of the injection which can have onset from 24-48 hours up to two weeks after the procedure. The inflammation usually resolves with local application of warm (100°F) moist heat, yet tenderness and a hard lump may be present up to a year. I,______, hereby authorize and request **Andrew Elmasri**, **D.D.S.** to perform the anesthesia as previously explained to me, and any other procedure deemed necessary or advisable as a corollary to the planned anesthesia. I consent, authorize, and request the administration of such anesthetic or anesthetics (from local to general) by any method that is deemed suitable by Dr. Elmasri. It is the understanding of the undersigned that Dr. Elmasri is an independent contractor and consultant and will have full charge of the administration and maintenance of the anesthesia, which is an independent function of the surgery/dentistry. I also understand that Dr. Elmasri has no responsibility for the dentistry to be performed or the diagnosis or treatment planning involved in the dentistry. I have been informed and understand that occasionally there are complications of the local anesthesia and medications, including but not limited to: pain, hematoma, temporary or permanent numbness of the face, teeth, tongue, lip or gums, infection, swelling, bleeding, discoloration, nausea, vomiting, allergic reaction, stroke, and heart attack. I further understand and accept the risk that very rare complications may require hospitalization that could result in death. I have been made aware that the risks associated with local anesthesia, conscious sedation, and general anesthesia vary. Of the three, local anesthesia is usually considered to have the least risk and general anesthesia the greatest risk. However, it must be noted that local anesthesia alone may not be appropriate for every patient and every procedure and that local and sedation may be safer than local alone. Because medication, drugs, anesthetics, and prescriptions may cause drowsiness and incoordination which can be increased by the use of alcohol or other drugs, I have been advised not to operate any vehicle or hazardous device for at least twenty-four (24) hours or longer until fully recovered from the effects of the anesthetic, medications, and drugs that may have been given to me for my care. I have been advised not to make any major or important decisions until after full recovery from the anesthesia. I understand that those with a history of chemical or alcohol dependency have a possible risk of relapse after anesthesia and should take appropriate precautions and support options. I have been fully advised of and accept the possible risks and dangers of anesthesia. I acknowledge the receipt of, understand and agree to follow both pre and post-operative anesthesia instructions. It has been explained to me and I understand that there is no warranty or guarantee as to any result and/or cure. I have had the opportunity to ask questions about my anesthesia and I am satisfied with the information provided to me. I also request that my physicians release to Dr. Elmasri any information he desires regarding my diagnosis, treatment, prognosis and recommendations as well as other data pertinent to my surgery and anesthetic management. I also authorize Dr. Elmasri to speak with my spouse, parents or children regarding any phase of my treatment. I have received a copy of instructions and this consent. Patient Name Parent/Guardian Name_____ Parent/Guardian Signature

Witness Signature_____

Witness Name_____

Pediatric/Teen Health History

PATIENT INFORMATION	(CONFIDENTIAL)	Todayos Date		
Name:	Birth Date:		_Age:	
Address:	City:	State:	Zip:	
Name of Person Responsible for t	he Account:			
Relationship to Patient:	Em	ail (optional):		
Home Phone:	Cell Phone			
Address:	City:	State:	Zip:	
MEDICAL HISTORY				
2. Is your child/teen currently und	der the care of a physician	for a specific condit	ion?Yes	No
3. Date of last physical exam/che	eckup?			
4. Date of last cold, cough or fev5. Physician:	er: Phone Num	her		
5. Physician:6. Describe your child/teens acti	vity level: Always tired F	requently tired Acti	ve Verv active	
7. Has there been any change in				No
8. Has your child/teen had any h	ospitalizations or surgeries	s?	Yes	No
a. If yes, when and why9. Does your child/teen have any	/ cardiac conditions?		Yes	No
 a. If yes, circle- arrhythmia Other 	s, congenital heart diseas	e, murmurs		
10. Does your child/teen have pul	monary disease or sympto	ms?	Yes	No
a. If yes, circle- asthma, br	onchitis, cystic fibrosis, fre	equent colds/flu, pers	sistent cough, wheezir	ng
Other 11. Has your child/teen ever been	diagnosed with sleep app	ea?	Yes	Nο
12. Has your child/teen been diag				
a. Arthritis	,	h. Downos synd		
b. Autism		i. Fainting épis		
c. Bleeding Problems / Bru	uise easily	j. Hepatitis / Liv	ver problems	
 d. Blood disorder 		k. Kidney Probl		
e. Cancer		 Muscle weak 		
f. Cerebral palsy		m. Seizures / Ep		
g. Diabetes		n. Other		
12. Please list all medications tha	t your child/teen is currentl	-		
13. Does your child/teen have alle a. If yes, list all allergies		d?	Yes	
14. Have you or a close relative e	ever had a bad reaction to a	any anesthetic drugʻ	?Yes	No
15. Has your child/teen had a pre				
a. If yes, were there any co	omplications?		Yes	No
The information on this questionnaire is ac injury or death. I understand that the information Andrew Elmasri of any changes in my child	mation will be held in the strictest	of confidence and it is m		
Signature of Parent/Guardian		Date		
Reviewed by: Andrew Elmasri, DE	DS	Date		



Financial Agreement for Anesthesia Services Pediatrics/Teen Page 1 of 2

Patient Name :	Contact Number :
Date of Procedure :	E-mail:
Your dentist has estimated treatment time to be:	hour(s) minutes
Total Anesthesia Time = Dentist's treatment time PL minutes for recovery)	US 60 Minutes (30 minutes for induction and 30
Anesthesia Fees are: \$600 for the first hour	& \$100 for each additional 15 minutes
As the anesthesia fee estimate is based upon the sur the surgical complexity and with the patient's respor when you are seated/anesthesia begins and ends v responsible adult and are charged in 15 minute typically about an hour longer than the surgical time	nse to the drugs and surgery. Anesthesia time begins when you are fully recovered and discharged to a increments. Therefore the anesthesia Estimate is
To confirm anesthesia services for your apportunity anesthesia time is due. The fee for anesthe consultations with physicians if necessary, all druft a refund for any unused time is necessary, additional time will be	sia includes all pre-anesthesia evaluations, ugs, supplies, and 30 minutes of anesthesia time. we will issue a refund. Any additional fee for
We accept cash, checks, MasterCard, Visa, Amer	rican Express, and Discover (Please Circle One)
Patient/Guardian Name l	Patient/Guardian Signature
Cardholder Name: ZIP:	Exp. Date:
Credit Card Number:	
Signature of Cardholder/Financially Responsible Par Please sign/date even	



Financial Agreement for Anesthesia Services Pediatrics/Teen Page 2 of 2

Insurance Information

Our office will mail you an *ADA approved Dental Claim Form (with our sections filled out)* for you to review, complete and send directly to your carrier after the procedure, upon your request. If t is important that reimbursement for the anesthesia fee by dental or medical insurance programs not be assumed as you may be over your yearly maximum benefits. Some insurance policies do not pay for anesthesia services when rendered for procedures other than exodontia (removal of teeth). Please check with your insurance company representative if you have questions regarding your coverage. Medical insurance and Medicare do not cover dental expenses and will not process dental or medical claims for your dental procedures.

Cancellations and Rescheduling

Your forms and remittance must be received at least 2 weeks prior to your treatment date. After that time, we will assume you are not ready for this scheduled appointment and your time may be released to accommodate another patient. We realize that life can be hectic so it is very important that you carefully review your vacation, work and family calendars before confirming your appointment by signing our forms. Cancellations or rescheduling within 72 business hours of the treatment date will incur a 100% charge of the estimated anesthesia time. Cancellations or reschedules must be made with our office or will be charged as a cancellation on the day of the procedure. Failing to follow the dental or anesthetic pre-operative instructions resulting in the canceling of the appointment (eating, not taking a prescribed antibiotic, etc) will incur a 100% charge. Illness requiring medicail intervention will not incur a charge.

I,	, have read, understand, and agree	to the above ESTIMATE of fees,
terms, and conditions.		
Signature of Patient, Parent or	r Legal Guardian:	Date:



Pre-Anesthesia Instructions

Eating / Drinking

Failure to strictly follow these instructions could <u>result in aspiration and may be fatal</u>. For anesthesia, it is of utmost importance that patients have an <u>empty stomach</u>.

No food of any kind for 8 (eight) hours prior to the appointment.

Clear liquids i.e. water, apple juice, Gatorade, may be taken up to 2 (two) hours prior to the appointment.

Clothing

Please wear a short sleeve loose shirt. Patients should bring a blanket. For children who do not wear a diaper or pull up, please bring an extra set of clothes. Do not wear makeup, nail polish, or fake eyelashes. Contact lenses must be removed before anesthesia. Please do not bring anything valuable or wear any jewelry.

Change in health or medications

A change in health, especially the development of a cold, cough, or fever is EXTREMELY important. Please notify Dr. Elmasri if there is any change in your health. Your appointment may need to be rescheduled.

Post-Anesthesia Instructions

Eating, Drinking, and Smoking

Limit oral intake to liquids for the first few hours. Begin with water and follow with sweet liquids such as sports drinks, clear juice and soda as tolerated. If teeth were extracted, do not use a straw. Food can be consumed following liquids as tolerated. Suggestions include scrambled eggs, applesauce, yogurt, mashed potatoes, and soups. If your child is not hungry, do not force him/her to eat, but encourage as much liquid as tolerated. Absolutely **no alcoholic beverages and /or smoking** for 24 hours following anesthesia.

Activities

Do not drive and/or engage in moderate to high level physical activity for 24 hours or until the effects of the anesthetic have completely subsided. Judgment may also be impaired during this time, so please avoid making any major life decisions. For children, do not allow them to swim, bike, skate or play with other children until fully recovered. Place a blanket on the floor for the child to rest and observe him/her closely.

Pain or Fever

Muscle aches and a sore throat may occur similar to the flu following anesthesia. These symptoms are very common and will usually disappear within 24 to 36 hours. Medications such as Tylenol and Advil are usually very effective and should be taken at the first sign of pain, if normally tolerated. For children, a fever of up to 101 degrees Fahrenheit may develop for the first 12 hours. Tylenol or Tylenol Elixir for children every 3 to 4 hours with plenty of liquids will tend to alleviate this condition as well as treat any post-operative discomfort.

Seek Advice

If vomiting occurs and persists beyond 5 hours, if temperature remains elevated beyond 24 hours, or if you have other
serious concerns following anesthesia, please contact: Dr. Elmasri at (949) 288-3401. In the event of a serious medical
emergency, please call 911.

I,, have read and understand the given instructions.	
Signature of Patient/Parent or Legal Guardian:	Date:



TRANSPORTATION INFORMATION

PATIENT S NAME: _______

As you know, a responsible adult must drive you to and from your dental appointment and a responsible adult must stay with you overnight. Advise your driver that they are expected to escort you to the office and wait for about 30 minutes. If you can arrange to have your ride home be the same person who spends the night with you we can give them your post surgical instructions. Unless your ride waits for you in the dental office during your entire appointment, we will need the following information and an alternate driver.
We realize that it is extremely unlikely that your ride will fail to return for you, but about twice a year, accidents, car trouble, and illness force us to contact the alternate driver. Without an alternate driver, those patients would have had to have been admitted to a hospital overnight. Therefore it is in everyone best interest that you complete the following:
Patient/Guardian Signature:
Expected Driverøs Name:Phone:
Time (in minutes) needed by driver to return to dental office:
Alternate Driverøs Name: Phone:
Phone # where you may be reached after your appointment:
Phone # of your pharmacy:
My ride will be present throughout the duration of the procedure (Circle): Y N



SUGGESTIONS FOR ASSISTANTS FOR ANESTHESIA CASES

- 1) Once the patient is seated, the assistant cannot leave the room unless relieved by another person. By law, the doctor cannot be alone with a patient at **any** time.
- 2) Please have an assortment of bite blocks available
- 3) Due OSHA regulations once the patient is breathing nitrous oxide and oxygen, please donot engage in unnecessary conversations with them since speaking bypasses the scavenging system.
- 4) A Word About Waterí
 - a. Water for cooling during tooth preparations is necessary and can be set to as low/minimal a flow as necessary as long as **very little** of it reaches the back of the throat.
 - b. Ask your dentist not to use the air/water syringe without your knowledge.
 - c. The less water that reaches the back of the throat, the better the anesthetic will seem to be. The more water they swallow, the more likely they will need to go to the bathroom.
- 5) About Objects in the Mouthí.
 - a. A throat screen/pack should be in place before any objects are placed in the mouth.
 - b. Avoid placing objects in the mouth that could be swallowed or inhaled unless dental floss is tied to it. Caution must be taken during extractions or when crowns are being cut off, cemented or tried in if the patient is deeply asleep.
 - c. Tie floss to the bite block, cotton rolls, gauze and rubber dam clamps.
 - d. If a rubber dam is being used you do not need to put floss on endo files. You still need to tie the bite block and the clamp.
- 6) Impressions for Sedation Cases
 - a. Keep overflow to a minimum.
 - b. Have several mirrors and 4x4 gauzes available.
 - c. If it is a bite registration, be prepared to hold the patient closed or they will fall asleep and open before it is set. If you want patient cooperation advise Dr. Elmasri 10 minutes in advance.
- 7) Rides and Family Members
 - a. Please do not allow anyone to enter the operatory until the case is over and the room is almost clean enough for the next patient.
- 8) When the case is over they may need to use the restroom. They should never go unattended.
 - a. Same sex rules apply. I go with male patients and female patients go with female assistants
- 9) Plan on obtaining a wheel chair and escorting the patient to their car at the end of the appointment if elevators are involved. It is best to give postoperative instructions to the ride, not the patient, since they will not remember most of what you say to them.
- 10) Questions? Please ask!



Treatment Suggestions for Anesthesia Cases

- Please send me the required forms ASAP ó the more notice I have, the less likely I will have to reschedule the patient for medical purposes.
- Please have 2 or 3 possible days when scheduling in case the preferred date is unavailable.
- Notify the patient that I will be contacting them to review their health history and policies regarding their anesthesia appointment.
- The office should be open 30 minutes prior to the patient arrival.
- A throat screen/pack should be in place before any objects are placed in the mouth.
- Give the patient ride a oreturn back time (30 minutes prior to estimated finishing time) even if they have a cell phone. The responsibility to return should be the ride and not your secretary. They can call occasionally to check on time.
- Print out a detailed time frame (and practical) treatment plan and put it on the wall like in dental school. If there has been a change in the treatment plan length since the case was scheduled, please advise me prior to my arrival.
- By law the patient must always have two people in the room with them.
- Some dentists take advantage of anesthesia patients to treat others at the same time. This is obviously unprofessional & unethical. This is unfair to the patient paying for anesthesia time. Very short hygiene checks, phone calls, bathroom breaks, snack time are of course fine.
- Please inform me 20 minutes in advance if you want cooperation from the patient for sedation cases.
- When I ask what is next or how long a procedure will take, it is because I need to fine tune the anesthesia for both you & the patient. The anesthesiologist needs to be a part of the team.
- Water: there are many misconceptions about the use of water. Use the minimum amount needed as long as little to none reaches the back of the throat. However, swallowed water increases the likelihood of their needing to go to the bathroom. Large-bore high speed suction, gauze 4x4s, sponges, rubber dams, etc will improve your production.
- Please give me a 1 hour, 20 minute and 5 minute estimate for finishing which will aid in speeding up turn over and recovery times.
- Anesthesia cases are easier and more relaxing than onormalo cases. If you arenot sensing that, there is something you are unnecessarily fighting and I can help you with it.

I consider it quite a pleasure to be working with your office. If you ever have any suggestions, please let me know. I am always happy to serve your office and patients more effectively.